Docket No. DAS-104XC1 Serial No. 10/754,115

Amendments to the Claims:

RECEIVED CENTRAL FAX CENTER

Claims, 1-20 (canceled).

JUN 1 9 2007

Claim 21 (corrently amended):

A method of controlling or inhibiting an insect wherein said method comprises contacting said insect with effective amounts of a Protein A, a Protein B, and a Protein C, wherein

- protein A is approximately 230-290 kDa, said Protein A is a complex-forming protein, wherein a polynucleotide A that encodes said Protein A hybridization under stringent conditions with the full complement of a nucleic acid sequence A that encodes SEO ID NO:34 (XpiA2xm) a-Xenorhabelus Glass-A toxin-complex-insect toxin:
- protein. Wherein a polynucleotide B that encodes said Protein B hybridizes maintains—hybridization under stringent conditions with the full complement of a nucleic acid sequence B that encodes a B amino acid sequence selected from the group consisting of SEO ID NO:22 (TedB1), SEO ID NO:45 (TedB2), SEO ID NO:56 (TeaC), SEO ID NO:18 (XptC1<sub>Xwi</sub>), and SEO ID NO:49 (XptD1<sub>Xbi</sub>) Class B toxin-complex potentiators;
- said Protein C is approximately 90-120 kDa, said Protein C is a complex-forming protein, wherein a polynucleotide C that encodes said Protein C hybridizesmaintains hybridization under stringent conditions with the full complement of a nucleic acid sequence C that encodes a C amino acid sequence selected from the group consisting of SEQ ID NO:25 (TeeCI). SEQ ID NO:47 (TeeC3), SEQ ID NO:57(TeeC5), SEQ ID NO:16 (XpiBlxwi), and SEQ ID NO:51 (XptClxb) Class C-toxin-complex-potentiators;
- said Protein A has activity against an insect and said activity is potentiated by said Protein B and said Protein C;

said Protein B and said Protein C potentiate the activity of said Protein A;

Docket No. DAS-104XCI Serial No. 10/754,115

- wherein said B amino acid sequence is selected from the group consisting of SEO ID NO:22 (TcdB1), SEO ID NO:45 (TcdB2), and SEO ID NO:56 (TcaC) when said C amino acid sequence is selected from the group consisting of SEO ID NO:16 (XptB1<sub>Xwt</sub>) and SEO ID NO:51 (XptC1<sub>Xb</sub>):
- wherein said C amino acid sequence is selected from the group consisting of SEQ ID NO:25 (TeeC1), SEQ ID NO:47 (TeeC3), and SEQ ID NO:57(TeeC5) when said B amino acid sequence is selected from the group consisting of SEQ ID NO:18 (Xp(C1<sub>Xw</sub>)) and SEQ ID NO:49 (XptB1<sub>Xb</sub>);
- at-least—one-of-said-polynucleotide—B—and-polynucleotide—C-does-not-maintain hybridization under stringent-conditions-with a nucleic acid-sequence that encodes a Xenorhabdus-toxin complex-potentiator; and

wherein said stringent conditions are 0.1X SSC and 0.1% SDS at 55° C.

## Claim 22 (currently amended):

The method of claim 21 wherein said <u>Protein A comprises nucleic-acid-sequence-A</u> encodes SEQ ID NO:34 (XptA2<sub>xwi</sub>).

## Claim 23 (currently amended):

The method of claim 21 wherein <u>said B amino acid sequence is nucleio acid-sequence-B</u> encodes SEQ ID NO:45 (TodB2).

## Claim 24 (currently amended):

The method of claim 21 wherein said C amino acid sequence is selected from the group consisting of nucleic acid-sequence G-encodes SEQ ID NO:47 (TecC3) and SEQ ID NO:57 (TecC5).

Docket No. DAS-104XC1 Serial No. 10/754,115

### Claim 25 (currently amended):

The method of claim 21 wherein said -nucleic acid-sequence A encodes SEQ-ID NO:34 (XptA2<sub>Kwi</sub>),-nucleic acid sequence B encodes SEQ ID NO:45 (TedB2), and nucleic acid sequence C encodes SEQ ID NO:47 (TecC3).

Claims 26-33 (canceled).

#### Claim 34 (new):

A method of inhibiting an insect wherein said method comprises contacting said insect with an A component, a B component, and a C component, wherein said components form an insecticidal toxin complex, wherein

- said A component is a 230-290 kDa complex-forming protein having at least 95% identity with an A amino acid sequence selected from the group consisting of SEQ ID NO:34 (XptA2) and SEQ ID NO:14 (XptA1);
- said B component is a 130-180 kDa complex-forming protein having at least 95% identity with a B amino acid sequence selected from the group consisting of SEQ ID NO:22 (TcdB1), SEQ ID NO:45 (TcdB2), SEQ ID NO:56 (TcaC), SEQ ID NO:18 (XptC1<sub>Nwi</sub>), and SEQ ID NO:49 (XptB1<sub>Xb</sub>);
- said C component is a 90-120 kDa complex-forming protein having at least 95% identity with a C amino acid sequence selected from the group consisting of SEQ ID NO:25 (TeeC1), SEQ ID NO:47 (TeeC3), SEQ ID NO:57(TeeC5), SEQ ID NO:16 (XptB1<sub>Xwi</sub>), and SEQ ID NO:51 (XptC1<sub>Xb</sub>);
- wherein said A component has activity against an insect, and wherein said B and C components potentiate said activity;
- wherein said B amino acid sequence is selected from the group consisting of SEQ ID NO:22 (TcdB1), SEQ ID NO:45 (TcdB2), and SEQ ID NO:56 (TcaC) when said C amino acid sequence is selected from the group consisting of SEQ ID NO:16 (XptB1<sub>Xwl</sub>) and SEQ ID NO:51 (XptC1<sub>Xb</sub>); and

Docket No. DAS-104XC1 Serial No. 10/754,115

wherein said C amino acid sequence is selected from the group consisting of SEQ ID NO:25 (TecC1), SEQ ID NO:47 (TecC3), and SEQ ID NO:57 (TecC5) when said IB amino acid sequence is selected from the group consisting of SEQ ID NO:18 (XptC1<sub>Xwi</sub>) and SEQ ID NO:49 (XptB1<sub>Xb</sub>).

# Claim 35 (new):

The method of claim 34 wherein said A amino acid sequence is SEQ ID NO:34 (XptA2). Claim 36 (new):

A method of inhibiting an insect wherein said method comprises contacting said insect with an A component, a B component, and a C component, wherein said components form an insecticidal toxin complex, wherein

- said A component is a 230-290 kDa complex-forming protein having at least 95% identity with an A sequence selected from the group consisting of SEQ ID NO:21 (TedA), SEQ ID NO:62 (TedA2), SEQ ID NO:63 (TedA4), and SEQ ID NO:59 (TebA);
- said B component is a 130-180 kDa complex-forming protein having at least 95% identity with an amino acid sequence selected from the group consisting of SEQ ID NO:22 (TcdB1), SEQ ID NO:45 (TcdB2), SEQ ID NO:56 (TcaC), SEQ ID NO:18 (XptC1<sub>xwi</sub>), and SEQ ID NO:49 (XptB1<sub>xb</sub>);
- said C component is a 90-120 kDa complex-forming protein having at least 95% identity with an amino acid sequence selected from the group consisting of SEQ ID NO:25 (TeeC1), SEQ ID NO:47 (TeeC3), SEQ ID NO:57 (TeeC5), SEQ ID NO:16 (XptB1<sub>Xwi</sub>), and SEQ ID NO:51 (XptC1<sub>Xb</sub>);
- wherein said A component has activity against an insect, and said B and C components potentiate said toxin activity;
- wherein said B sequence is selected from the group consisting of SEQ ID NO:18 (XptC1<sub>Xwi</sub>) and SEQ ID NO:49 (XptB1<sub>Xb</sub>) when said C sequence is selected from

Docket No. DAS-104XC1 Serial No. 10/754,115

the group consisting of SEQ ID NO:25 (TecC1), SEQ ID NO:47 (TecC3), and SEQ ID NO:57 (TecC5); and

wherein said C sequence is selected from the group consisting of SEQ ID NO:16 (XptB1<sub>Xwi</sub>) and SEQ ID NO:51 (XptC1<sub>Xb</sub>) when said B sequence is selected from the group consisting of SEQ ID NO:22 (TcdB1), SEQ ID NO:45 (TcdB2), and SEQ ID NO:56 (TcaC).

#### Claim 37 (new):

The method of claim 36 wherein said A sequence is SEQ ID NO:21 (TcdA).

#### Claim 38 (new);

The method of claim 34, wherein

- said A component comprises an amino acid sequence selected from the group consisting of SEQ ID NO:34 (XptA2) and SEQ ID NO:14 (XptA1);
- said B component comprises an amino acid sequence selected from the group consisting of SEQ ID NO:22 (TedB1), SEQ ID NO:45 (TedB2), SEQ ID NO:56 (TeaC), SEQ ID NO:18 (XptC1<sub>Xwi</sub>), and SEQ ID NO:49 (XptB1<sub>Xb</sub>); and
- said C component comprises an amino acid sequence selected from the group consisting of SEQ ID NO:25 (TeeCI), SEQ ID NO:47 (TeeC3), SEQ ID NO:57(TeeC5), SEQ ID NO:16 (XptB1xw), and SEQ ID NO:51 (XptC1xb);
- wherein said B component comprises an amino acid sequence selected from the group consisting of SEQ ID NO:22 (TcdB1), SEQ ID NO:45 (TcdB2), and SEQ ID NO:56 (TcaC) when said C component comprises an amino acid sequence selected from the group consisting of SEQ ID NO:16 (XptB1<sub>Xwi</sub>) and SEQ ID NO:51 (XptC1<sub>Xb</sub>); and
- wherein said C component comprises an amino acid sequence selected from the group consisting of SEQ ID NO:25 (TecCI), SEQ ID NO:47 (TecC3), and SEQ ID NO:57(TecC5) when said B component is selected from the group consisting of SEQ ID NO:18 (XptC1<sub>Xwi</sub>) and SEQ ID NO:49 (XptB1<sub>Xb</sub>).

Docket No. DAS-104XCI Serial No. 10/754,115

RECEIVED CENTRAL FAX CENTER

Claim 39 (new);

JUN 19 2007

The method of claim 38 wherein when said A component comprises SEQ ID NO:34 (XptA2).

## Claim 40 (new):

The method of claim 35 wherein said B amino acid sequence is SEQ ID NO:45 (TcdB2) and said C amino acid sequence is selected from the group consisting of SEQ ID NO:47 (TccC3) and SEQ ID NO:57 (TccC5).

## Claim 41 (new):

The method of claim 40 wherein said C amino acid sequence is SEQ ID NO:47 (TccC3).

## Claim 42 (new);

The method of claim 39 wherein said B component comprises SEQ ID NO:45 (TedB2), and said C component comprises SEQ ID NO:47 (TecC3).